
4-Shelf Open Static Wire Shelving 63"H



Standard Unit Components:

- 4 each 63"H posts with caps and leveling feet.
- 4 wire shelves with split sleeves.

Add-On Unit Components:

- 2 each 63"H posts with caps and leveling feet.
- 4 wire shelves with split sleeves and 8 S-hooks (2 per shelf).

"Complete" Units Accessories (-CL):

- 4 full-length 3-position label holders.
- Bottom shelf cover, solid, flat, poly.

Weight Capacities:

- Up to 48": 800 lbs. per shelf.
- Over 48": 600 lbs. per shelf.

Other Standard Sizes Available:

- Depths: 14" and 21"
- Widths: 24", 30", 42" and 54"
- Posts: 54", 74" and 86"

4-Shelf Standard Starter Unit

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 63 | 53 | 836CH | 836PW |
| 18 x 48 x 63 | 63 | 856CH | 856PW |
| 18 x 60 x 63 | 82 | 866CH | 866PW |
| 18 x 72 x 63 | 94 | 876CH | 876PW |
| 24 x 36 x 63 | 65 | 436CH | 436PW |
| 24 x 48 x 63 | 79 | 456CH | 456PW |
| 24 x 60 x 63 | 98 | 466CH | 466PW |
| 24 x 72 x 63 | 120 | 476CH | 476PW |

4-Shelf Standard Add-On Unit

| $D \times W \times H$ | WT. | CHROME PLUS | DURO SEAL |
|-----------------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 63 | 46 | A836CH | A836PW |
| 18 x 48 x 63 | 56 | A856CH | A856PW |
| 18 x 60 x 63 | 75 | A866CH | A866PW |
| 18 x 72 x 63 | 89 | A876CH | A876PW |
| 24 x 36 x 63 | 58 | A436CH | A436PW |
| 24 x 48 x 63 | 72 | A456CH | A456PW |
| 24 x 60 x 63 | 91 | A466CH | A466PW |
| 24 x 72 x 63 | 113 | A476CH | A476PW |

4-Shelf "Complete" Starter Unit

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 63 | 58 | 836CH-CL | 836PW-CL |
| 18 x 48 x 63 | 68 | 856CH-CL | 856PW-CL |
| 18 x 60 x 63 | 87 | 866CH-CL | 866PW-CL |
| 18 x 72 x 63 | 98 | 876CH-CL | 876PW-CL |
| 24 x 36 x 63 | 70 | 436CH-CL | 436PW-CL |
| 24 x 48 x 63 | 84 | 456CH-CL | 456PW-CL |
| 24 x 60 x 63 | 102 | 466CH-CL | 466PW-CL |
| 24 x 72 x 63 | 125 | 476CH-CL | 476PW-CL |

4-Shelf "Complete" Add-On Unit

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 63 | 51 | A836CH-CL | A836PW-CL |
| 18 x 48 x 63 | 61 | A856CH-CL | A856PW-CL |
| 18 x 60 x 63 | 80 | A866CH-CL | A866PW-CL |
| 18 x 72 x 63 | 94 | A876CH-CL | A876PW-CL |
| 24 x 36 x 63 | 63 | A436CH-CL | A436PW-CL |
| 24 x 48 x 63 | 77 | A456CH-CL | A456PW-CL |
| 24 x 60 x 63 | 96 | A466CH-CL | A466PW-CL |
| 24 x 72 x 63 | 118 | A476CH-CL | A476PW-CL |

5-Shelf Standard Starter Unit

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 74 | 65 | 835CH | 835PW |
| 18 x 48 x 74 | 78 | 855CH | 855PW |
| 18 x 60 x 74 | 102 | 865CH | 865PW |
| 18 x 72 x 74 | 117 | 875CH | 875PW |
| 24 x 36 x 74 | 81 | 435CH | 435PW |
| 24 x 48 x 74 | 98 | 455CH | 455PW |
| 24 x 60 x 74 | 122 | 465CH | 465PW |
| 24 x 72 x 74 | 149 | 475CH | 475PW |

5-Shelf Standard Add-On Unit

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 74 | 57 | A835CH | A835PW |
| 18 x 48 x 74 | 70 | A855CH | A855PW |
| 18 x 60 x 74 | 93 | A865CH | A865PW |
| 18 x 72 x 74 | 108 | A875CH | A875PW |
| 24 x 36 x 74 | 73 | A435CH | A435PW |
| 24 x 48 x 74 | 90 | A455CH | A455PW |
| 24 x 60 x 74 | 113 | A465CH | A465PW |
| 24 x 72 x 74 | 141 | A475CH | A475PW |

5-Shelf "Complete" Starter Unit

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 74 | 70 | 835CH-CL | 835PW-CL |
| 18 x 48 x 74 | 83 | 855CH-CL | 855PW-CL |
| 18 x 60 x 74 | 107 | 865CH-CL | 865PW-CL |
| 18 x 72 x 74 | 122 | 875CH-CL | 875PW-CL |
| 24 x 36 x 74 | 86 | 435CH-CL | 435PW-CL |
| 24 x 48 x 74 | 103 | 455CH-CL | 455PW-CL |
| 24 x 60 x 74 | 127 | 465CH-CL | 465PW-CL |
| 24 x 72 x 74 | 155 | 475CH-CL | 475PW-CL |

5-Shelf "Complete" Add-On Unit

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 74 | 62 | A835CH-CL | A835PW-CL |
| 18 x 48 x 74 | 75 | A855CH-CL | A855PW-CL |
| 18 x 60 x 74 | 98 | A865CH-CL | A865PW-CL |
| 18 x 72 x 74 | 113 | A875CH-CL | A875PW-CL |
| 24 x 36 x 74 | 78 | A435CH-CL | A435PW-CL |
| 24 x 48 x 74 | 95 | A455CH-CL | A455PW-CL |
| 24 x 60 x 74 | 118 | A465CH-CL | A465PW-CL |
| 24 x 72 x 74 | 146 | A475CH-CL | A475PW-CL |

5-Shelf Open Static Wire Shelving 74"H



Standard Unit Components:

- 4 each 74"H posts with caps and leveling feet.
- 5 wire shelves with split sleeves.

Add-On Unit Components:

- 2 each 74"H posts with caps and leveling feet.
- 5 wire shelves with split sleeves and 10 S-hooks (2 per shelf).

"Complete" Units Accessories (-CL):

- 5 full-length 3-position label holder.
- Bottom shelf cover, solid, flat, poly.


Weight Capacities:

- Up to 48": 800 lbs. per shelf.
- Over 48": 600 lbs. per shelf.

Other Standard Sizes Available:

- Depths: 14" and 21"
- Widths: 24", 30", 42" and 54"
- Posts: 54", 63" and 86"

4-Shelf Open Mobile Wire Shelving 69"H



4-Shelf "Open Braking Complete" Units with 4 Swivel Casters (2 with brakes), 1 solid bottom shelf cover and 4 full-length 3-position label holders.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|------------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 69 | 65 | MB836CH-CL | MB836PW-CL |
| 18 x 48 x 69 | 77 | MB856CH-CL | MB856PW-CL |
| 18 x 60 x 69 | 93 | MB866CH-CL | MB866PW-CL |
| 18 x 72 x 69 | 97 | MB876CH-CL | MB876PW-CL |
| 24 x 36 x 69 | 81 | MB436CH-CL | MB436PW-CL |
| 24 x 48 x 69 | 97 | MB456CH-CL | MB456PW-CL |
| 24 x 60 x 69 | 117 | MB466CH-CL | MB466PW-CL |
| 24 x 72 x 69 | 123 | MB476CH-CL | MB476PW-CL |

Standard Units Include:

- 4 posts 63"H.
- 4 wire shelves with split sleeves.
- 5" swivel non-marking polyurethane casters.
- Donut bumpers.

4-Shelf "Open Standard" Units with 4 Swivel Casters.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 69 | 60 | M836CH | M836PW |
| 18 x 48 x 69 | 72 | M856CH | M856PW |
| 18 x 60 x 69 | 88 | M866CH | M866PW |
| 18 x 72 x 69 | 92 | M876CH | M876PW |
| 24 x 36 x 69 | 76 | M436CH | M436PW |
| 24 x 48 x 69 | 92 | M456CH | M456PW |
| 24 x 60 x 69 | 112 | M466CH | M466PW |
| 24 x 72 x 69 | 118 | M476CH | M476PW |

4-Shelf "Open Braking" Units with 4 Swivel Casters (2 with brakes).

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 69 | 60 | MB836CH | MB836PW |
| 18 x 48 x 69 | 72 | MB856CH | MB856PW |
| 18 x 60 x 69 | 88 | MB866CH | MB866PW |
| 18 x 72 x 69 | 82 | MB876CH | MB876PW |
| 24 x 36 x 69 | 76 | MB436CH | MB436PW |
| 24 x 48 x 69 | 92 | MB456CH | MB456PW |
| 24 x 60 x 69 | 112 | MB466CH | MB466PW |
| 24 x 72 x 69 | 118 | MB476CH | MB476PW |

4-Shelf "Open Standard Complete" Units with 4 Swivel Casters, 1 solid bottom shelf cover and 4 full-length, 3-position label holders.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 69 | 65 | M836CH-CL | M836PW-CL |
| 18 x 48 x 69 | 77 | M856CH-CL | M856PW-CL |
| 18 x 60 x 69 | 93 | M866CH-CL | M866PW-CL |
| 18 x 72 x 69 | 97 | M876CH-CL | M876PW-CL |
| 24 x 36 x 69 | 81 | M436CH-CL | M436PW-CL |
| 24 x 48 x 69 | 97 | M456CH-CL | M456PW-CL |
| 24 x 60 x 69 | 117 | M466CH-CL | M466PW-CL |
| 24 x 72 x 69 | 123 | M476CH-CL | M476PW-CL |

"Complete" Units Accessories (-CL):

- 4 full-length 3-position label holders.
- Bottom shelf cover, solid, flat, poly.

Weight Capacity:

• 5" casters. 250 lbs. capacity each. Total cart 750 lbs. capacity.

Other Standard Sizes Available:

- Depths: 14" and 21"
- Widths: 24", 30", 42" and 54"
- Posts: 54", 74" and 86"

5-Shelf Open Mobile Wire Shelving 80"H

5-Shelf "Open Standard" Units with 4 Swivel Casters.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 69 | 70 | M835CH | M835CH |
| 18 x 48 x 69 | 84 | M855CH | M855CH |
| 18 x 60 x 69 | 105 | M865CH | M865CH |
| 18 x 72 x 69 | 112 | M875CH | M875CH |
| 24 x 36 x 69 | 89 | M435CH | M435CH |
| 24 x 48 x 69 | 108 | M455CH | M455CH |
| 24 x 60 x 69 | 133 | M465CH | M465CH |
| 24 x 72 x 69 | 144 | M475CH | M475CH |

5-Shelf "Open Braking" Units with 4 Swivel Casters (2 with brakes).

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 80 | 70 | MB835CH | MB835PW |
| 18 x 48 x 80 | 84 | MB855CH | MB855PW |
| 18 x 60 x 80 | 105 | MB865CH | MB865PW |
| 18 x 72 x 80 | 112 | MB875CH | MB875PW |
| 24 x 36 x 80 | 89 | MB435CH | MB435PW |
| 24 x 48 x 80 | 108 | MB455CH | MB455PW |
| 24 x 60 x 80 | 133 | MB465CH | MB465PW |
| 24 x 72 x 80 | 144 | MB475CH | MB475PW |

5-Shelf "Open Standard Complete" Units with 4 Swivel Casters, 1 solid bottom shelf cover and 5 full-length, 3-position label holders.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 80 | 75 | M835CH-CL | M835PW-CL |
| 18 x 48 x 80 | 89 | M855CH-CL | M855PW-CL |
| 18 x 60 x 80 | 110 | M865CH-CL | M865PW-CL |
| 18 x 72 x 80 | 117 | M875CH-CL | M875PW-CL |
| 24 x 36 x 80 | 94 | M435CH-CL | M435PW-CL |
| 24 x 48 x 80 | 113 | M455CH-CL | M455PW-CL |
| 24 x 60 x 80 | 138 | M465CH-CL | M465PW-CL |
| 24 x 72 x 80 | 149 | M475CH-CL | M475PW-CL |

Standard Unit Components:


- 4 each 74"H posts.
- 5 wire shelves with split sleeves.
- 5" swivel non-marking polyurethane casters.
- Donut bumpers.



- 5 full-length 3-position label holders.
- Bottom shelf cover, solid, flat, poly.

Weight Capacity:

• 5" casters. 250 lbs. capacity each. Total cart 750 lbs. capacity.



5-Shelf "Open Braking Complete" Units with 4 Swivel Casters (2 with brakes), 1 solid bottom shelf cover and 5 full-length 3-position label holders.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|------------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 80 | 75 | MB835CH-CL | MB835PW-CL |
| 18 x 48 x 80 | 89 | MB855CH-CL | MB855PW-CL |
| 18 x 60 x 80 | 110 | MB865CH-CL | MB865PW-CL |
| 18 x 72 x 80 | 117 | MB875CH-CL | MB875PW-CL |
| 24 x 36 x 80 | 94 | MB435CH-CL | MB435PW-CL |
| 24 x 48 x 80 | 113 | MB455CH-CL | MB455PW-CL |
| 24 x 60 x 80 | 138 | MB465CH-CL | MB465PW-CL |
| 24 x 72 x 80 | 149 | MB475CH-CL | MB475PW-CL |

Other Standard Sizes Available:

- Depths: 14" and 21"
- Widths: 24", 30", 42" and 54"
- Posts: 54", 63" and 86"

4-Shelf Enclosed Mobile Wire Shelving 69"H



4-Shelf "Enclosed Braking Complete" Units with 4 Swivel Casters (2 with brakes), 1 solid bottom shelf cover and 4 full-length 3-position label holders.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-------------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 69 | 111 | MEB836CH-CL | MEB836PW-CL |
| 18 x 48 x 69 | 116 | MEB856CH-CL | MEB856PW-CL |
| 18 x 60 x 69 | 138 | MEB866CH-CL | MEB866PW-CL |
| 18 x 72 x 69 | 147 | MEB876CH-CL | MEB876PW-CL |
| 24 x 36 x 69 | 117 | MEB436CH-CL | MEB436PW-CL |
| 24 x 48 x 69 | 140 | MEB456CH-CL | MEB456PW-CL |
| 24 x 60 x 69 | 166 | MEB466CH-CL | MEB466PW-CL |
| 24 x 72 x 69 | 177 | MEB476CH-CL | MEB476PW-CL |

Standard Units Include:

- 4 posts 63"H.
- 4 wire shelves with split sleeves.
- 3" x 3" mesh enclosure panels on side and back.
- 5" swivel non-marking polyurethane casters.
 - . .

4-Shelf "Enclosed Standard" Units

with 4 Swivel Casters.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 69 | 106 | ME836CH | ME836PW |
| 18 x 48 x 69 | 111 | ME856CH | ME856PW |
| 18 x 60 x 69 | 133 | ME866CH | ME866PW |
| 18 x 72 x 69 | 142 | ME876CH | ME876PW |
| 24 x 36 x 69 | 112 | ME436CH | ME436PW |
| 24 x 48 x 69 | 135 | ME456CH | ME456PW |
| 24 x 60 x 69 | 161 | ME466CH | ME466PW |
| 24 x 72 x 69 | 172 | ME476CH | ME476PW |

4-Shelf "Enclosed Braking" Units with 4 Swivel Casters (2 with brakes).

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 69 | 106 | MEB836CH | MEB836PW |
| 18 x 48 x 69 | 111 | MEB856CH | MEB856PW |
| 18 x 60 x 69 | 133 | MEB866CH | MEB866PW |
| 18 x 72 x 69 | 142 | MEB876CH | MEB876PW |
| 24 x 36 x 69 | 112 | MEB436CH | MEB436PW |
| 24 x 48 x 69 | 135 | MEB456CH | MEB456PW |
| 24 x 60 x 69 | 161 | MEB466CH | MEB466PW |
| 24 x 72 x 69 | 172 | MEB476CH | MEB476PW |

4-Shelf "Enclosed Standard Complete" Units with 4 Swivel Casters, 1 solid bottom shelf cover and 4 full-length, 3-position label holders.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|------------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 69 | 111 | ME836CH-CL | ME836PW-CL |
| 18 x 48 x 69 | 116 | ME856CH-CL | ME856PW-CL |
| 18 x 60 x 69 | 138 | ME866CH-CL | ME866PW-CL |
| 18 x 72 x 69 | 147 | ME876CH-CL | ME876PW-CL |
| 24 x 36 x 69 | 117 | ME436CH-CL | ME436PW-CL |
| 24 x 48 x 69 | 140 | ME456CH-CL | ME456PW-CL |
| 24 x 60 x 69 | 166 | ME466CH-CL | ME466PW-CL |
| 24 x 72 x 69 | 177 | ME476CH-CL | ME476PW-CL |

"Complete" Units Accessories (-CL):

- 4 full-length 3-position label holders.
- Bottom shelf cover, solid, flat, poly.

Weight Capacity:

- 5" casters. 250 lbs. capacity each.
- Total cart 750 lbs. capacity.

5-Shelf "Enclosed Standard" Units

with 4 Swivel Casters.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 80 | 110 | ME835CH | ME835PW |
| 18 x 48 x 80 | 132 | ME855CH | ME855PW |
| 18 x 60 x 80 | 160 | ME865CH | ME865PW |
| 18 x 72 x 80 | 173 | ME875CH | ME875PW |
| 24 x 36 x 80 | 136 | ME435CH | ME435PW |
| 24 x 48 x 80 | 163 | ME455CH | ME455PW |
| 24 x 60 x 80 | 195 | ME465CH | ME465PW |
| 24 x 72 x 80 | 212 | ME475CH | ME475PW |

5-Shelf "Enclosed Braking" Units with 4 Swivel Casters (2 with brakes).

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-----------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 80 | 110 | MEB835CH | MEB835PW |
| 18 x 48 x 80 | 132 | MEB855CH | MEB855PW |
| 18 x 60 x 80 | 160 | MEB865CH | MEB865PW |
| 18 x 72 x 80 | 173 | MEB875CH | MEB875PW |
| 24 x 36 x 80 | 136 | MEB435CH | MEB435PW |
| 24 x 48 x 80 | 163 | MEB455CH | MEB455PW |
| 24 x 60 x 80 | 195 | MEB465CH | MEB465PW |
| 24 x 72 x 80 | 212 | MEB475CH | MEB475PW |

5-Shelf "Enclosed Standard Complete" Units with 4 Swivel Casters, 1 solid bottom shelf cover and 5 full-length, 3-position label holders.


| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|------------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 80 | 115 | ME835CH-CL | ME835PW-CL |
| 18 x 48 x 80 | 137 | ME855CH-CL | ME855PW-CL |
| 18 x 60 x 80 | 165 | ME865CH-CL | ME865PW-CL |
| 18 x 72 x 80 | 178 | ME875CH-CL | ME875PW-CL |
| 24 x 36 x 80 | 141 | ME435CH-CL | ME435PW-CL |
| 24 x 48 x 80 | 168 | ME455CH-CL | ME455PW-CL |
| 24 x 60 x 80 | 200 | ME465CH-CL | ME465PW-CL |
| 24 x 72 x 80 | 217 | ME475CH-CL | ME475PW-CL |

Standard Unit Components:

- 4 each 74"H posts.
- 5 wire shelves with split sleeves.
- 3" x 3" mesh enclosure panels on side and back.
- 5" swivel non-marking polyurethane casters.

.

5-Shelf Enclosed Mobile Wire Shelving 80"H



5-Shelf "Enclosed Braking Complete" Units with 4 Swivel Casters (2 with brakes), 1 solid bottom shelf cover and 5 full-length, 3-position label holders.

| DxWxH | WT. | CHROME PLUS | DURO SEAL |
|--------------|--------|-------------|-------------|
| (inches) | (lbs.) | Part # | Part # |
| 18 x 36 x 80 | 115 | MEB835CH-CL | MEB835PW-CL |
| 18 x 48 x 80 | 137 | MEB855CH-CL | MEB855PW-CL |
| 18 x 60 x 80 | 165 | MEB865CH-CL | MEB865PW-CL |
| 18 x 72 x 80 | 178 | MEB875CH-CL | MEB875PW-CL |
| 24 x 36 x 80 | 141 | MEB435CH-CL | MEB435PW-CL |
| 24 x 48 x 80 | 168 | MEB455CH-CL | MEB455PW-CL |
| 24 x 60 x 80 | 200 | MEB465CH-CL | MEB465PW-CL |
| 24 x 72 x 80 | 217 | MEB475CH-CL | MEB475PW-CL |

Weight Capacity:

- 5" casters. 250 lbs. capacity each.
- Total cart 750 lbs. capacity.

"Complete" Units Accessories (-CL):

- 5 full-length 3-position label holders.
- Bottom shelf cover, solid, flat, poly.

Open Dolly Base Carts, 4-Tier



Standard Units Include:

- 4 each 63"H posts.
- 4 wire shelves with split sleeves.
- Heavy-duty all-welded dolly fabricated with C-channel welded to steel plate frame.
- Non-marking wrap-around bumper.
 Dolly is available open, with premium epoxy-coated solid insert or with stainless steel solid insert. Inserts adhere to infection control standards and function as solid bottom shelves.

Other Standard Sizes Available on Request:

- Depths: 18" and 21"
- Widths: 42 and 54"
- Posts: 74"

Open Cart with Open Dolly, 4 Wire Shelves.

| DxW | WT. | 5" PLATE CASTE | R | 6" PLATE CASTER |
|----------|--------|-----------------|---|------------------|
| (inches) | (lbs.) | Model #, Ht (in | | Model #, Ht (in) |
| 24 x 36 | 122 | MD436CH 70 | | MD436CH-6 71 |
| 24 x 48 | 149 | MD456CH 70 | | MD456CH-6 71 |
| 24 x 60 | 182 | MD466CH 70 | | MD466CH-6 71 |
| 24 x 72 | 217 | MD476CH 70 | | MD476CH-6 71 |

^{*} Add the suffix "-CL" to model number for solid bottom shelf cover and 3-position label holder *Height is overall

Open Cart with Premium Epoxy-Coated Solid Insert Dolly, 4 Wire Shelves.

| DxW | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|----------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 | 124 | MDT436CH 70 | MDT436CH-6 71 |
| 24 x 48 | 146 | MDT456CH 70 | MDT456CH-6 71 |
| 24 x 60 | 170 | MDT466CH 70 | MDT466CH-6 71 |
| 24 x 72 | 197 | MDT476CH 70 | MDT476CH-6 71 |

^{**} Add the suffix "-CL" to model number for 3-positon label holders for wire shelves only (solid bottom cover not required)

Open Cart with Stainless Steel Solid Insert Dolly 4 Wire Shelves.

| DxW | WT. | 5" PLATE | CASTER | 6" PLATE (| CASTER |
|----------|--------|----------|---------|------------|---------|
| (inches) | (lbs.) | Model #, | Ht (in) | Model #, | Ht (in) |
| 24 x 36 | 124 | MDS436CH | 70 | MDS436CH-6 | 71 |
| 24 x 48 | 146 | MDS456CH | 70 | MDS456CH-6 | 71 |
| 24 x 60 | 170 | MDS466CH | 70 | MDS466CH-6 | 71 |
| 24 x 72 | 197 | MDS476CH | 70 | MDS476CH-6 | 71 |

^{*} Add the suffix "-CL" to the model number for 3-position label holders for wire shelves only (solid bottom cover not required)

5" Caster Models:

- 4 each 5" plate-style swivel non-marking polyurethane casters, two with brakes.
- Weight capacity is 750 lbs. (each caster 250 lbs.)

6" Caster "Heavy-Duty" Models:

- 4 each 6" premium ergonomic elastomere non-marking casters.
 All swivel, two with brakes.
- Rigid and directional -lock also available.
 Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking.
 Add suffix "R" for 2 fixed, 2 swivel.
 Add suffix "FP" for 1 directional locking.
- 1200 lb weight capacity (each caster 400 lbs.)
- Recommended for "heavy-duty" transport applications.

Open Cart with Dolly, 5 Wire Shelves.

| DxWxH | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|--------------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 x 83 | 138 | MD435CH 81 | MD435CH-6 82 |
| 24 x 48 x 83 | 168 | MD455CH 81 | MD455CH-6 82 |
| 24 x 60 x 83 | 206 | MD465CH 81 | MD465CH-6 82 |
| 24 x 72 x 83 | 246 | MD475CH 81 | MD475CH-6 82 |

^{*} Add the suffix "-CL" to model number for solid bottom shelf cover and 3-position label holder *Height is overall

Open Cart with Premium Epoxy-Coated Solid Insert Dolly, 5 Wire Shelves.

| DxWxH | WT. | 5" PLATE | CASTER | 6" PLATE (| CASTER |
|--------------|--------|----------|---------|------------|---------|
| (inches) | (lbs.) | Model #, | Ht (in) | Model #, | Ht (in) |
| 24 x 36 x 83 | 140 | MDT435CH | 81 | MDT435CH-6 | 82 |
| 24 x 48 x 83 | 171 | MDT455CH | 81 | MDT455CH-6 | 82 |
| 24 x 60 x 83 | 194 | MDT465CH | 81 | MDT465CH-6 | 82 |
| 24 x 72 x 83 | 226 | MDT475CH | 81 | MDT475CH-6 | 82 |

^{**} Add the suffix "-CL" to model number for 3-position label holders for wire shelves only (solid bottom cover not required)

Open Cart with Stainless Steel Solid Insert Dolly 5 Wire Shelves.

| DxWxH | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|--------------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 x 83 | 140 | MDS435CH 81 | MDS435CH-6 82 |
| 24 x 48 x 83 | 171 | MDS455CH 81 | MDS455CH-6 82 |
| 24 x 60 x 83 | 194 | MDS465CH 81 | MDS465CH-6 82 |
| 24 x 72 x 83 | 226 | MDS475CH 81 | MDS475CH-6 82 |

^{*} Add the suffix "-CL" to the model number for 3-position label holders for wire shelves only (solid bottom cover not required)

Standard Units Include:

- 4 each 74"H posts.
- 5 wire shelves with split sleeves.
- Heavy-duty all-welded dolly fabricated with C-channel welded to steel plate frame.
- Non-marking wrap-around bumper.
 Dolly is available open, with premium epoxy-coated solid insert or with stainless steel solid insert. Inserts adhere to infection control standards and function as solid bottom shelves.

Other Standard Sizes Available on Request:

Depths: 18" and 21"Widths: 42" and 54"

Posts: 63"

Open Dolly Base Carts, 5-Tier



5" Caster Models:

- 4 x 5" plate-style swivel non-marking polyurethane casters, two with brakes.
- Weight capacity is 750 lbs. (each caster 250 lbs.)

6" Caster "Heavy-Duty" Models:

- 4 each 6" premium ergonomic elastomere non-marking casters. All swivel, two with brakes.
- Rigid and directional-lock also available.
 Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking.
 Add suffix "R" for 2 fixed, 2 swivel.
 Add suffix "FP" for 1 directional locking.
- 1200 lb weight capacity (each caster 400 lbs.)
- Recommended for "heavy-duty" transport applications.

Enclosed Dolly Base Carts, 4-Tier



Enclosed Cart with Open Dolly, 4 Wire Shelves.

| DxW | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|----------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 | 184 | MDE436CH 70 | MDE436CH-6 71 |
| 24 x 48 | 224 | MDE456CH 70 | MDE456CH-6 71 |
| 24 x 60 | 273 | MDE466CH 70 | MDE466CH-6 71 |
| 24 x 72 | 323 | MDE476CH 70 | MDE476CH-6 71 |

^{*}Add the suffix "-CL" to model number for solid bottom shelf cover and 3-position label holder *Height is overall

Enclosed Cart with Premium Epoxy-Coated Solid Insert Dolly, 4 Wire Shelves.

| DxW | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|----------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 | 186 | MDET436CH 70 | MDET436CH-6 71 |
| 24 x 48 | 221 | MDET456CH 70 | MDET456CH-6 71 |
| 24 x 60 | 261 | MDET466CH 70 | MDET466CH-6 71 |
| 24 x 72 | 303 | MDET476CH 70 | MDET476CH-6 71 |

^{**}Add the suffix "-CL" to the model number for 3-position label holders for wire shelves only (solid bottom cover not required)

Enclosed Cart with Stainless Steel Solid Insert Dolly, 4 Wire Shelves.

| DxWxH | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|----------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 | 186 | MDES436CH 70 | MDES436CH-6 71 |
| 24 x 48 | 221 | MDES456CH 70 | MDES456CH-6 71 |
| 24 x 60 | 261 | MDES466CH 70 | MDES466CH-6 71 |
| 24 x 72 | 303 | MDES476CH 70 | MDES476CH-6 71 |

^{*} Add the suffix "-CL" to the model number for 3-position label holders for wire shelves only (solid bottom cover not required)

Standard Units Include:

- 4 each 63"H posts.
- 4 wire shelves with split sleeves.
- Enclosure panels of 3" x 3" wire mesh.
- Heavy-duty all-welded dolly fabricated with C-channel welded to steel plate frame.
- Non-marking wrap-around bumper.

Dolly is available open, with premium epoxy-coated solid insert or with stainless steel solid insert. Inserts adhere to infection control standards and function as solid bottom shelves.

5" Caster Models:

- 4 each 5" plate-style swivel non-marking polyurethane casters, two with brakes.
- Weight capacity is 750 lbs. (each caster 250 lbs.)

6" Caster "Heavy-Duty" Models:

- 4 each 6" premium ergonomic elastomere non-marking casters. All swivel, two with brakes.
- Rigid and directional-lock also available.

Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking. Add suffix "R" for 2 fixed, 2 swivel.

Add suffix "FP" for 1 directional locking.

- 1200 lb weight capacity (each caster 400 lbs.)
- Recommended for "heavy-duty" transport applications.

Enclosed Dolly Base Carts, 5-Tier

| Enclosed Carl Willi Open Dony 5 Wile offen. | | | | |
|---|--------|------------------|------------------|--|
| DxW | WT. | 5" PLATE CASTER | 6" PLATE CASTER | |
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) | |
| 24 x 36 | 200 | MDE435CH 81 | MDE435CH-6 82 | |
| 24 x 48 | 243 | MDE455CH 81 | MDE455CH-6 82 | |
| 24 x 60 | 297 | MDE465CH 81 | MDE465CH-6 82 | |
| 24 x 72 | 352 | MDE475CH 81 | MDE475CH-6 82 | |

Enclosed Cart with Open Dolly 5 Wire Shelf

Enclosed Cart with Premium Epoxy-Coated Solid Insert, 5 Wire Shelf

| DxW | WT. | 5" PLATE C | ASTER | 6" PLATE CA | ASTER |
|----------|--------|------------|---------|-------------|--------|
| (inches) | (lbs.) | Model #, H | Ht (in) | Model #, H | t (in) |
| 24 x 36 | 202 | MDET435CH | 81 | MDET435CH-6 | 82 |
| 24 x 48 | 246 | MDET455CH | 81 | MDET455CH-6 | 82 |
| 24 x 60 | 285 | MDET465CH | 81 | MDET465CH-6 | 82 |
| 24 x 72 | 332 | MDET475CH | 81 | MDET475CH-6 | 82 |

^{**} Add the suffix "-CL" to model number for 3-position label holders for wire shelves only (solid bottom cover not required)

Enclosed Cart with Solid Stainless insert, 5 Wire Shelf.

| DxW | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|----------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 | 202 | MDES435CH 81 | MDES435CH-6 82 |
| 24 x 48 | 246 | MDES455CH 81 | MDES455CH-6 82 |
| 24 x 60 | 285 | MDES465CH 81 | MDES465CH-6 82 |
| 24 x 72 | 332 | MDES475CH 81 | MDES475CH-6 82 |

^{*} Add the suffix "-CL" to model number for 3-position label holders for wire shelves only (solid bottom cover not required)

Standard Units Include:

- 4 each 74"H posts.
- 5 wire shelves with split sleeves.
- Enclosure panels of 3" x 3" wire mesh.
- Heavy-duty all-welded dolly fabricated with C-channel welded to steel plate frame.
- Non-marking wrap-around bumper.

Dolly is available open, with premium epoxy-coated solid insert or with stainless steel solid insert. Inserts adhere to infection control standards and function as solid bottom shelves.



5" Caster Models:

- 4 each 5" plate-style swivel non-marking polyurethane casters, two with brakes.
- Weight capacity is 750 lbs. (each caster 250 lbs.)

6" Caster "Heavy-Duty" Models:

- 4 each 6" premium ergonomic elastomere non-marking casters. All swivel, two with brakes.
- Rigid and directional-lock also available.

Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking. Add suffix "R" for 2 fixed, 2 swivel.


Add suffix "FP" for 1 directional locking.

- 1200 lb weight capacity (each caster 400 lbs.)
- Recommended for "heavy-duty" transport applications.



^{*}Add the suffix "-CL" to model number for solid bottom shelf cover and 3-position label holder *Height is overall

LQ Wire Shelves



1836CH

Shelves

- Shelves are adjustable on 1" increments and come in a wide selection of sizes to suit every application.
- Chrome Plus Finish: Heavy nickel plating with hard chromium finish excellent for dry storage hospital applications.
- Duro Seal: Clear, heavy-coat finish over chrome, that is perfect for sterile packs, drapes, wrapped instrument sets and high-humidity applications. 10-year warranty against rust.

Weight Capacities

- Up to 48": 800 lbs. per shelf.
- Over 48": 600 lbs. per shelf.

Split Sleeve Adapters:

4 included with each shelf

| SPLIT ADAPTER | MODEL# |
|---------------|--------|
| 4 Per Bag | PBAG |



Posts

Posts are constructed of one-inch round (16 GA) tubing. All posts are numbered and adjustable on one-inch increments. Posts can be ordered without leveling feet for stem caster applications.

Special post lengths will require the next longer post size and a cut charge of \$3.00 ea.

 Simple Assembly: Each shelf comes with 4 corner split sleeve adapters which snap into the grooves of the post. The shelf slips over the top surface securing shelf and adapter to post.

LQ Posts

| HT. | WT. | CHROME PLUS | DURO SEAL |
|----------|--------|-------------|-----------|
| (inches) | (lbs.) | Model # | Model # |
| 14 | 1 | P14CH | P14PW |
| 27 | 1.5 | P27CH | P27PW |
| 34 | 2 | P34CH | P34PW |
| 54 | 3 | P54CH | P54PW |
| 63 | 3.5 | P63CH | P63PW |
| 74 | 4 | P74CH | P74PW |
| 86 | 5 | P84CH | P86PW |



LQS Wire Shelves

| D x W | WT. | CHROME PLUS | DURO SEAL |
|----------|--------|-------------|-----------|
| (inches) | (lbs.) | Model # | Model # |
| 14 x 24 | 6 | 1424CH | 1424PW |
| 14 x 30 | 7 | 1430CH | 1430PW |
| 14 x 36 | 8 | 1436CH | 1436PW |
| 14 x 42 | 9.5 | 1442CH | 1442PW |
| 14 x 48 | 10.5 | 1448CH | 1448PW |
| 14 x 60 | 14 | 1460CH | 1460PW |
| 14 x 72 | 17 | 1472CH | 1472PW |
| 18 x 24 | 7 | 1824CH | 1824PW |
| 18 x 30 | 8 | 1830CH | 1830PW |
| 18 x 36 | 9.5 | 1836CH | 1836PW |
| 18 x 42 | 11 | 1842CH | 1842PW |
| 18 x 48 | 12 | 1848CH | 1848PW |
| 18 x 54 | 14.5 | 1854CH | 1854PW |
| 18 x 60 | 17 | 1860CH | 1860PW |
| 18 x 72 | 20 | 1872CH | 1872PW |
| 21 x 24 | 8 | 2124CH | 2124PW |
| 21 x 30 | 9 | 2130CH | 2130PW |
| 21 x 36 | 11 | 2136CH | 2136PW |
| 21 x 42 | 12 | 2142CH | 2142PW |
| 21 x 48 | 14 | 2148CH | 2148PW |
| 21 x 54 | 16 | 2154CH | 2154PW |
| 21 x 60 | 18 | 2160CH | 2160PW |
| 21 x 72 | 23 | 2172CH | 2172PW |
| 24 x 24 | 9 | 2424CH | 2424PW |
| 24 x 30 | 11 | 2430CH | 2430PW |
| 24 x 36 | 13 | 2436CH | 2436PW |
| 24 x 42 | 15 | 2442CH | 2442PW |
| 24 x 48 | 16 | 2448CH | 2448PW |
| 24 x 54 | 19 | 2454CH | 2454PW |
| 24 x 60 | 21 | 2460CH | 2460PW |
| 24 x 72 | 26 | 2472CH | 2472PW |

Post Level and Post Cap

- One included with every post.
- Metal foot plug insert for round post Model #PLUG-01.
- Adjustable foot bolt for round post Model #909-AP.
- Black plastic post cap Model #BPC.

Stem Casters: For use with posts.

Non-marking polyurethane

| SIZE | WT. | CAPACITY | SWIVEL | RIGID | SWIVEL W/BRAKE |
|----------|--------|----------|---------|---------|----------------|
| (inches) | (lbs.) | (lbs.) | Model # | Model # | Model # |
| 5 x 1.25 | 2 | 250 | 5C | 5CR | 5CB |





Plate Casters: For use with dollies.

5" Casters: Non-marking polyurethane.

5C

5CB

| SIZE | WT. | CAPACITY | SWIVEL | RIGID | SWIVEL W/ BRAKE |
|----------|--------|----------|---------|---------|-----------------|
| (inches) | (lbs.) | (lbs.) | Model # | Model # | Model # |
| 5 x 1.25 | 2 | 250 | C5 | C5R | C5B |

6" Casters: Premium ergonomic elastomere non-marking casters. For heavy-duty transport.

| SIZE | WT. | CAPACITY | SWIVEL | RIGID | SWIVEL W/ BRAKE | 4-POSITION DIRECTION LOCK |
|----------|--------|----------|----------|-----------|--------------------|------------------------------|
| (inches) | (lbs.) | (lbs.) | Model # | Model # | Model # | Model # |
| 6 x 2 | 4 | 800 | 31-76XSR | 31-76RXSR | 31-76BXSR | 31-76FPXSR |

Many other casters available to suit specialty applications

31-76RXSR



C5B

RDB325

Donut Bumpers: For use with stem casters. Non-marking polyurethane

| SIZE | WT. | |
|----------|--------|---------|
| (inches) | (lbs.) | Model # |
| 3.5 | .25 | RDB325 |





THP9448NSCH Closed Dolly with Stainless Insert



THP9448CH Open Dolly

Dolly Bases

| DIMENSIONS | WT. | OPEN | SOLID EPOXY INSERT | SOLID STAINLESS INSERT |
|------------|--------|-----------|--------------------|------------------------|
| (inches) | (lbs.) | Model # | Model # | Model # |
| 18 x 36 | 30 | THP9836CH | THP9836NTCH | THP9836NSCH |
| 18 x 48 | 40 | THP9848CH | THP9848NTCH | THP9848NSCH |
| 18 x 60 | 50 | THP9860CH | THP9860NTCH | THP9860NSCH |
| 18 x 72 | 60 | THP9872CH | THP9872NTCH | THP9872NSCH |
| 24 x 36 | 40 | THP9436CH | THP9436NTCH | THP9436NSCH |
| 24 x 48 | 53 | THP9448CH | THP9448NTCH | THP9448NSCH |
| 24 x 60 | 67 | THP9460CH | THP9460NTCH | THP9460NSCH |
| 24 x 72 | 80 | THP9472CH | THP9472NTCH | THP9472NSCH |

Dolly Bases

Heavy-duty all-welded dolly fabricated with integral C-channel welded to steel plate frame. Non-marking wrap-around bumper.

Dolly is available in three styles: Open, premium epoxy-coated solid insert or stainless steel solid insert. Inserts adhere to infection control standards and function as solid bottom shelves which eliminates the additional wire shelf requirement.

Other Standard Sizes Available on Request:

- Depths: 21"
- Widths: 42" and 54"

Enclosure Panels + Ledges

Back Enclosure Panels:

3" x 3" chrome wire mesh.

| POST | SHELF | WT. | CHROME |
|--------|--------|--------|-----------|
| Height | Length | (lbs.) | Model # |
| 63" | 30" | 16 | BRD3060CH |
| 63" | 36" | 16.5 | BRD3660CH |
| 63" | 42" | 20.5 | BRD4260CH |
| 63" | 48" | 24 | BRD4860CH |
| 63" | 54" | 27 | BRD5460CH |
| 63" | 60" | 30 | BRD6060CH |
| 63" | 72" | 35 | BRD7260CH |
| 74" | 30" | 19.5 | BRD3072CH |
| 74" | 36" | 20 | BRD3672CH |
| 74" | 42" | 24.5 | BRD4272CH |
| 74" | 48" | 28 | BRD4872CH |
| 74" | 54" | 32 | BRD5472CH |
| 74" | 60" | 35 | BRD6072CH |
| 74" | 72" | 41 | BRD7272CH |

Side Enclosure Panels:

3" x 3" chrome wire mesh.

| POST | SHELF | WT. | CHROME |
|--------|-------|--------|-----------|
| Height | Depth | (lbs.) | Model # |
| 63" | 18" | 7.5 | ERD1860CH |
| 63" | 21" | 9 | ERD2160CH |
| 63" | 24" | 9.5 | ERD2460CH |
| 74" | 18" | 10 | ERD1872CH |
| 74" | 21" | 12 | ERD2172CH |
| 74" | 24" | 13.5 | ERD2472CH |




BRD1872CH End Panel



1" Height Side and Back Ledges:

Nickel chrome plated wire.

| SIZE | WT. | CHROME |
|----------|-------|---------|
| (inches) | (lbs) | Model # |
| 14 | 0.5 | L141CH |
| 18 | 0.5 | L181CH |
| 21 | 1 | L211CH |
| 24 | 1 | L241CH |
| 30 | 1 | L301CH |
| 36 | 1.5 | L361CH |
| 42 | 1.5 | L421CH |
| 48 | 2 | L481CH |
| 54 | 2 | L541CH |
| 60 | 2.5 | L601CH |
| 72 | 3 | L721CH |



4" Height Side and Back Ledges:

Nickel chrome plated wire.

| SIZE | WT. | CHROME |
|----------|--------|---------|
| (inches) | (lbs.) | Model # |
| 14 | 1 | L144CH |
| 18 | 1 | L184CH |
| 21 | 2 | L214CH |
| 24 | 2 | L244CH |
| 30 | 2 | L304CH |
| 3 | 2.5 | L364CH |
| 42 | 2.5 | L424CH |
| 48 | 3 | L484CH |
| 54 | 3 | L544CH |
| 60 | 3.5 | L604CH |
| 72 | 4 | L724CH |

TB4OIL Insert lid for TB40


CH3ON Index card holder for TB40

Short Divider

(max 15 per drawer) Pkg of 6Model #DV17/D6DS


Plastic Drawers

- Injection-molded polypropylene.
- Resists most solvents and chemicals.
- Many other sizes of drawers also available.
- Standard Color: Blue. Red also available.



Long Divider

• (max 11 per drawer) Pkg of 6 Model #DV22/D6DL



Under-Shelf Adjustable Drawer and Basket Holders

- Holder only, medium drawer.
- Fits Shelf 18" & 24"deep.
- 2 lbs.

Model #DS18-24



Add-On Basket

| DxWxH | WT. | MODEL# |
|------------|--------|--------|
| (inches) | (lbs.) | |
| 7 x 15 x 7 | 2.3 | HB715 |
| 9 x 16 x 9 | 4 | HB916 |

Wire Document/Chart Holder

- Attaches to shelf or enclosure panel.
- 12.375" x 2" x 8.625"H.
- 2 lbs.

Model #DH




Wire Baskets

| DESCRIPTION | WT. | MODEL# |
|-------------------------------------|--------|----------|
| | (lbs.) | |
| Medium Basket 16"D x 24"W x 5"H | 5 | B5-III |
| Long divider for medium basket | 0.5 | B5DL-III |
| Short divider for medium basket | 0.5 | B5DS-III |
| Label tag for medium basket 1" x 3" | | LH3 |

Standard Color: Off-white. Nickel-chrome plated wire also available

* 3"H and 8"H also available - see page 16.



Handles • 3-Sided Frame • Dunnage Rack

Push Handle

- · All-welded chrome steel tubing.
- Push/pull handle keeps hands away from product.

Push Handle

| SHELF WIDTH | WT. | CHROME |
|-------------|--------|---------|
| (inches) | (lbs.) | Model # |
| 18 | 1.5 | PH18CH |
| 21 | 2 | PH21CH |
| 24 | 2.5 | PH24CH |

3-Sided Frame

- Increase stability & support.
- Nickel-chrome plated wire frame.

3-Sided Frame WxL CHROME WT. (inches) (lbs.) Model # 18 x 36 6 TSF1836RG 18 x 48 7 TSF1848RG 18 x 60 8 TSF1860RG 7 24 x 36 TSF2436RG 9 24 x 48 TSF2448RG 24 x 60 11 TSF2460RG





| SHELF WIDTH | WT. | CHROME |
|-------------|--------|---------|
| (inches) | (lbs.) | Model # |
| 18 | 6 | RD18CH |
| 21 | 7 | RD21CH |
| 24 | 8 | RD24CH |

Ergonomic Upright Handle

(NOT PICTURED)

- All-welded chrome steel tubing.
- Save space by turning in on posts.
- Secures with included split adapters.
- Two handles required per application.

Ergonomic Upright Handle

| LENGTH | WT. | CHROME |
|----------|--------|---------|
| (inches) | (lbs.) | Model # |
| 18 | 1.5 | UPH18CH |

Dunnage Rack

| SIZE | WT. | ALUMINUM |
|----------------|--------|----------|
| (inches) | (lbs.) | Model # |
| 18 x 36 x 10.5 | 16 | AL1836 |
| 18 x 48 x 10.5 | 19 | AL1848 |
| 24 x 36 x 10.5 | 18 | AL2436 |
| 24 x 48 x 10.5 | 22 | AL2448 |
| 24 x 60 x 10.5 | 26 | AL2460 |



Add-On S-Hooks

- Use instead of posts.
- 2 hooks required for each shelf connection.
- Use in corners for L-shape configurations.
- Use on the side for back-to-back units.
- Use on the ends for continuous run of shelving.
- Chrome.

Model #PBC200



Foot Plate

Allows bolting of shelving unit into floor. Anchor not included. Model #FP Chrome

Model #SFP Stainless Steel



Post Clamp

Foot Plates + S-Hooks + Seismic Bracing

Ties back to back shelving units together at posts. Model #CLPCH Chrome



Seismic Foot Plates

- Seismic-approved footplates supplied with cotter pin attachment and Hilti anchor bolts.
- Approved by California Office of Statewide Health Planning and Development.

Seismic Foot Plates

| DESCRIPTION | DxWxH | WT. | MODEL# |
|------------------------|---------------------|--------|----------|
| | (inches) | (lbs.) | |
| Single Post Foot Plate | 2-7/8 x 7 x 4-3/16 | 2 | SIS-PLT1 |
| Double Post Foot Plate | 2-7/8 x 11 x 4-3/16 | 3 | SIS-PLT2 |

Seismic End Brace Kits

| SHELF DEPTH | WT. | CHROME |
|-------------|--------|---------|
| (inches) | (lbs.) | Model # |
| 18 | 3 | SIS18EC |
| 21 | 3 | SIS21EC |
| 24 | 3 | SIS24EC |


Seismic Back Brace Kits

| SHELF LENGTH | | CHROME |
|--------------|--------|---------|
| (inches) | (lbs.) | Model # |
| 36 | 4 | SIS36BC |
| 48 | 4 | SIS48BC |
| 60 | | SIS60BC |



Labels Tags + Holders

Label Holder




3 Position Label Holders

- Clear front pouch.
- Multiple angles in 1 product.

Model #LH30BL

Label Holders

| WIDTH | MODEL # |
|----------|---------|
| (inches) | |
| 3 | LH03BL |
| 24 | LH24BL |
| 30 | LH30BL |
| 36 | LH36BL |
| 42 | LH42BL |
| 48 | LH48BL |
| 54 | LH54BL |
| 60 | LH60BL |
| 72 | LH72BL |





Label Tags- Standard

- Accommodate 1"x 3" labels.
- Bags of 125.

Model #LH3

Label Tags- Standard Colors

| DESCRIPTION | WxH | QTY | MODEL# |
|------------------|----------|--------|------------|
| | (inches) | bag of | |
| White Label Tag | 1 x 3 | 125 | LH3 |
| Blue Label Tag | 1 x 3 | 125 | LH3-BLUE |
| Yellow Label Tag | 1 x 3 | 125 | LH3-YELLOW |
| Red Label Tag | 1 x 3 | 125 | LH3-RED |
| Green Label Tag | 1 x 3 | 125 | LH3-GREEN |





Wire Basket/Shelf Dividers


Wire Basket/Shelf Dividers


- Nickel-chrome plated wire.
- Bottom 3-hook design fits all standard shelves and wire IV baskets. 6" and 8" heights.

| SHELF SIZE | WT. | MODEL# | MODEL# |
|-----------------------|--------|-----------|-----------|
| (inches) | (lbs.) | 6"H model | 8"H model |
| 18 (will also fit 21) | 1 | CFDIV186 | CFDIV188 |
| 24 | 1.4 | CFDIV246 | CFDIV248 |














Wire Shelf Dividers

| SHELF SIZE | WT. | MODEL# |
|------------|--------|--------|
| (inches) | (lbs.) | |
| 14 | 1 | D148CH |
| 18 | 1 | D188CH |
| 21 | 1.4 | D218CH |
| 24 | 1.4 | D248CH |

Wire Shelf Dividers

- Nickel-chrome plated wire.
- Fits all standard LQS shelves.
- 8"H.
- Locks securely on the shelf.

Rod and Tab Dividers

| POST HEIGHT | WT. | MODEL# |
|------------------|--------|-------------------|
| (inches) | (lbs.) | |
| 61 | 1.5 | DVR61RG |
| 72 | 2 | DVR72RG |
| Additional clips | 1 | DVCRG (pkg of 12) |

Rod and Tab Dividers

- Use in multiples to create back/side enclosures or divider panels within a unit.
- Nickel-chrome plated wire.
- Each rod includes 4 clips.

Nylon Cart Covers




Cart Covers are a Cost Effective Way to Enclose Supplies

- Three available materials: 200 denier, 400 denier or Vicon 10.
- Choose from velcro, tie or zipper closures.
- Clear routing pocket.
- Reinforced corners, double-sewn seams.
- Standard front flap.
- Custom made for any size.

AntiMicrobial Sure Chek Available upon request.


200 Denier

- Fire retardant and washable at low temps up to 108F.
- Medium weight nylon fabric with urethane coating on one side for added wear and stain resistance.



400 Denier

 Most popular. Heavy-weight nylon fabric with urethane coating on one side for added wear, stain resistance and water repellency.



Vicon 10

 Heaviest-weight durable nylon fabric with urethane coating on one side for added wear, stain resistance and water repellency.




Typical Corner Configurations

How to Design Your Cart Cover

- Accurately measure width, length and height (do not allow for clearance, give exact measurements, height to above casters.)
- 2. Determine corner style. (round end, round front or square- see image below)
- 3. Determine fabric and color.
- 4. Determine flap material. (nylon or clear vinyl window)
- 4. Determine flap closure. (velcro, ties or zipper)
- 5. Indicate any special options.
- 6. Make a simple illustration, if needed.
- ** Use our simple online tool at covers.logiquip.net





Cart Covers - Disposable Poly Clear disposable cart/equipment

covers on a dispenser roll (50/roll). Clear polyethylene 2 mil thickness.


| MODEL# | WxDxH | |
|--------|--------------|--|
| | (inches) | |
| 16-AR | 38 x 26 x 48 | |
| 16-BR | 45 x 27 x 48 | |
| 16-CR | 55 x 27 x 62 | |
| 16-DR | 64 x 27 x 67 | |
| 16-ER | 45 x 27 x 59 | |


Floor Track System Benefits


- CAD layout options at no cost or obligation.
- We will not recommend a system unless users gain at least 20% more linear footage.
- Units custom built to fit all shelving, existing or new. (Save \$\$\$ using existing)
- Choose from light-duty skates for individual unit tracks or heavy-duty carriages for multiple, back-to-back or mechanical assist units.
- No subfloors construction needed.
- Completely installed, including track install, transfer and assembly of existing units.
- System can easily be added-to and transferred with most parts re-used.

BEFORE

AFTER







Active Aisle System, 600 Linear Feet, Increased Capacity 43% Over Static System



SKATE SYSTEM

- Simple and cost-effective solution.
- Easy to configure: Determine length of track needed and provide depth of carts used.
- Aluminum skates with HDP end stops and roller bearing wheels attach to bottom of posts.
- "V" groove floor track is low-profile, cart-friendly and non-trip. (same style as carriages) 3/8"H.



Floor Track System

CARRIAGE SYSTEM

- Carriages can be up to 12' in length and 4' in depth.
- Ball bearing design allows units up to 2000 lbs. (907kg) to move easily.
- "V" groove floor track is low-profile, cart-friendly and non-trip.
- Carriages: Satin anodized aluminum rails with roller bearing wheel assemblies.
- Track: Aluminum-extruded "V"-design (3/8" at highest peak) with hardened steel inserts. Reduces friction and provides positive carriage retention. Low profile end stops.
- Optional Mechanical Assist: Ergonomically designed easy move aisles, complete with built in aisle control.



Shown with User-Friendly Mechanical Assist



Low-Cost High-Density Storage on Skates

Basket/IV Solution Carts





SB2036CH



- 4 posts 74"H.
- Open front wire baskets & shelves. "SB style".
- Each basket complete with label holders and set # of dividers.
- Bottom wire shelf with solid shelf cover. Top wire shelf.
- 4-5" swivel casters with donut bumpers, two with brakes.


| MODEL# | DESCRIPTION | W x D x H (OD) |
|---------|---|----------------|
| | Complete IV Cart | (inches) |
| AF008CH | Complete IV Cart 24"- 2 shelves, 6 baskets, 12 dividers | 26 x 18 x 80 |
| AF009CH | Complete IV Cart 36"- 2 shelves, 6 baskets, 18 dividers | 38 x 18 x 80 |
| AF010CH | Complete IV Cart 48"- 2 shelves, 6 baskets, 24 dividers | 50 x 18 x 80 |
| AF011CH | Complete IV Cart 60"- 2 shelves, 6 baskets, 30 dividers | 62 x 18 x 80 |

| MODEL# | DESCRIPTION | W x D x H (OD) |
|----------|------------------------------|----------------|
| | Wire Basket Only | (inches) |
| SB2024CH | Individual Wire Basket 24" | 24 x 18 x 10 |
| SB2036CH | Individual Wire Basket 36" | 36 x 18 x 10 |
| SB2048CH | Individual Wire Basket 48" | 48 x 18 x 10 |
| SB2060CH | Individual Wire Basket 60" | 60 x 18 x 10 |
| DV2010CH | Wire Basket Divider Standard | 16 x 6 |



DV2010CH







Bulk IV Storage

Basket/IV Solution Carts



"AF" Style Cart with Supplies

AF511CH

Combo Carts Combine Shelves & Baskets

- 4 posts 74"H...
- Mix of flat wire shelves and baskets with full-length label holders.
- Each basket complete with set # of dividers.
- Bottom wire shelf with solid shelf cover. Top wire shelf.
- 4-5" swivel casters with donut bumpers, two with brakes.







"AF" Style Cart with Gloves





Suture/Lens/Implant Carts





Single Sided Suture/Lens/Implant Carts Include

- 4 posts 63"H.
- 4 (or 5- see table) slanted baskets each with label holders.
- Bottom wire shelf with solid shelf cover. (for infection control)
- 4-5" swivel casters with donut bumpers, two with brakes.

| MODEL# | DESCRIPTION | D x W x H (OD) |
|---------|---|----------------|
| | Single Sided | (inches) |
| SL424CH | 4-Level 24" Single-Sided Suture Cart | 18 x 24 x 69 |
| SL436CH | 4-Level 36" Single-Sided Suture Cart | 18 x 36 x 69 |
| SL448CH | 4-Level 48" Single-Sided Suture Cart | 18 x 48 x 69 |
| SL524CH | 5-Level 24" Single-Sided Suture Cart | 18 x 24 x 69 |
| SL536CH | 5-Level 36" Single-Sided Suture Cart | 18 x 36 x 69 |
| SL548CH | 5-Level 48" Single-Sided Suture Cart | 18 x 48 x 69 |
| SL24CH | Individual 24" Single Sided Suture Basket | 18 x 24 x 10 |
| SL36CH | Individual 36" Single Sided Suture Basket | 18 x 36 x 10 |
| SL48CH | Individual 48" Single Sided Suture Basket | 18 x 48 x 10 |



Single Sided Suture Cart in Use

Suture/Lens/Implant Carts

Double Sided Suture/Lens/Implant Carts Include

- 4 posts 63"H.
- 4 (or 5- see table) slanted baskets each with label holders on both sides.
- Bottom wire shelf with solid shelf cover. (for infection control). Top wire shelf.
- End enclosure panels of 3" x 3" wire mesh
- 4-5" swivel casters with donut bumpers, two with brakes.

| MODEL # | DESCRIPTION | D x W x H (OD) |
|----------|---|----------------|
| | Double Sided | (inches) |
| STR424CH | 4-Level 24" Double-Sided Suture Cart | 24 x 24 x 69 |
| STR436CH | 4-Level 36" Double-Sided Suture Cart | 24 x 36 x 69 |
| STR448CH | 4-Level 48" Double-Sided Suture Cart | 24 x 48 x 69 |
| STR524CH | 5-Level 24" Double-Sided Suture Cart | 24 x 24 x 69 |
| STR536CH | 5-Level 36" Double-Sided Suture Cart | 24 x 36 x 69 |
| STR548CH | 5-Level 48" Double-Sided Suture Cart | 24 x 48 x 69 |
| STR24CH | Individual 24" Double Sided Suture Basket | 24 x 24 x 69 |
| STR36CH | Individual 36" Double Sided Suture Basket | 24 x 36 x 10 |
| STR48CH | Individual 48" Double Sided Suture Basket | 24 x 48 x 10 |

Suture Cart Capacities: Sutures packaged in a box of 36 (4-1/2" wide), or boxes of 12 (2-1/4" wide), have a unit capacity of:

24"

| MODEL | BOX/36 | BOX/12 |
|------------|--------|--------|
| 24" Basket | 32 | 64 |
| 424 Cart | 68 | 288 |
| 524 Cart | 160 | 360 |

36"

| MODEL | BOX/36 | BOX/12 |
|------------|--------|--------|
| 36" Basket | 48 | 112 |
| 436 Cart | 224 | 496 |
| 536 Cart | 280 | 584 |

48"

| MODEL | BOX/36 | BOX/12 |
|------------|--------|--------|
| 48" Basket | 64 | 84 |
| 448 Cart | 288 | 608 |
| 548 Cart | 360 | 760 |

Also Ideal for Storage of Prosthesis and Lenses



Corner Carts - Make the Most of your Space



518367C in use with optional label holders

Complete Units Include:

- 5 posts 74"H.
- 5 wire shelves with 5 corners.
- Plastic solid shelf cover on bottom wire shelf.
- Full-length label holders on front of all shelves. 5-5" swivel casters, two with brakes.


| MODEL# | DESCRIPTION | WxDxH |
|---------------|---------------------------------------|--------------|
| | Corner Cart | (inches) |
| MB518367C-5CL | Corner cart, complete 5-tier, 5-sided | 18 x 36 x 79 |
| MB521367C-5CL | Corner cart, complete 5-tier, 5-sided | 21 x 36 x 79 |
| MB524427C-5CL | Corner cart, complete 5-tier, 5-sided | 24 x 42 x 79 |

Static Corner Units Include:

- 5 posts 74"H.
- 4 or 5 wire shelves with 5 corners.

| MODEL # | DESCRIPTION | WxDxH |
|-----------|------------------------------|--------------|
| | Corner Shelving Unit | (inches) |
| 518366C | Corner shelving unit, 4-tier | 18 x 36 x 63 |
| 518367C | Corner shelving unit, 4-tier | 18 x 36 x 74 |
| 518367C-5 | Corner shelving unit, 5-tier | 18 x 36 x 74 |
| 521367C | Corner shelving unit, 4-tier | 21 x 36 x 74 |
| 521367C-5 | Corner shelving unit, 5-tier | 21 x 36 x 74 |
| 524427C | Corner shelving unit, 4-tier | 24 x 42 x 74 |
| 524427C-5 | Corner shelving unit, 5-tier | 24 x 42 x 74 |
| 524428C | Corner shelving unit, 4-tier | 24 x 42 x 86 |





Corner Unit Components:

- Units can be combined with regular posts and casters.
- Design your own or add individual shelves to complete units.

| 1 | MODEL# | DESCRIPTION | | | | |
|---|------------|--------------------------------------|-----|-----|-----|-----|
| | | Corner Shelf | Α | В | C | D |
| 3 | S51836C | Individual Corner Shelf 18" x 36" | 18" | 36" | 24" | 38" |
| 3 | S52136C | Individual Corner Shelf 21" x 36" | 21" | 36" | 20" | 40" |
| 3 | S52442C | Individual Corner Shelf 24" x 36" | 24" | 42" | 24" | 46" |
| I | AM1836PF-5 | Corner Shelf Plastic Cover 18" x 36" | 18" | 36" | 24" | 38″ |
| I | AM2136PF-5 | Corner Shelf Plastic Cover 21" x 36" | 21" | 36" | 20" | 40" |
| 1 | AM2442PF-5 | Corner Shelf Plastic Cover 24" x 42" | 24" | 42" | 24" | 46" |
| L | LH24BL | Blue Label Holder, 24" | | | | |

TSUN is our premium wire shelving line: Smooth waterfall edge on front of shelf eliminates ripping of wrapped goods. Shelves adjust without any tools. Built-in endscreens. TSUN is also compatible with most standard wire accessories pages 31-37. A MUST FOR EVERY STERILE STORAGE AREA.




Two end frames function as enclosure panels

TSUN Complete Carts

| MODEL # | DESCRIPTION | DIMENSIONS |
|-----------------|--------------------------------------|--------------|
| | | (inches) |
| TSUN2436-5SH-CL | Complete TSUN 5-Shelf Unit 24" x 36" | 28 x 40 x 73 |
| TSUN2448-5SH-CL | Complete TSUN 5-Shelf Unit 24" x 48" | 28 x 52 x 73 |
| TSUN2464-5SH-CL | Complete TSUN 5-Shelf Unit 24" x 64" | 28 x 68 x 73 |
| TSUN2472-5SH-CL | Complete TSUN 5-Shelf Unit 24" x 76" | 28 x 76 x 73 |

| | 1 0 |
|-------------|----------------------------------|
| MODEL# | DESCRIPTION |
| | (inches) |
| TSUN2436-PL | TSUN Plastic Shelf Cover 24 x 36 |
| TSUN2448-PL | TSUN Plastic Shelf Cover 24 x 48 |
| TSUN2464-PL | TSUN Plastic Shelf Cover 24 x 64 |
| TSUN2472-PL | TSUN Plastic Shelf Cover 24 x 72 |

| MODEL# | DESCRIPTION | |
|-------------|---------------------------|--|
| | (inches) | |
| CFDIV246 | Shelf Divider 6" | |
| CFDIV248 | Shelf Divider 8" | |
| TSUN2436-SH | TSUN Wire Shelf 24" x 36" | |
| TSUN2448-SH | TSUN Wire Shelf 24" x 48" | |
| TSUN2464-SH | TSUN Wire Shelf 24" x 64" | |
| TSUN2472-SH | TSUN Wire Shelf 24" x 72" | |



| MODEL# | DESCRIPTION | |
|----------|---------------------------------------|--|
| | Snap On Plastic Shelf | |
| AM1824PS | Snap On Plastic Shelf Cover 18" x 24" | |
| AM1836PS | Snap On Plastic Shelf Cover 18" x 36" | |
| AM1848PS | Snap On Plastic Shelf Cover 18" x 48" | |
| AM1860PS | Snap On Plastic Shelf Cover 18" x 60" | |
| AM1872PS | Snap On Plastic Shelf Cover 18" x 72" | |
| AM2424PS | Snap On Plastic Shelf Cover 24" x 24" | |
| AM2436PS | Snap On Plastic Shelf Cover 24" x 36" | |
| AM2448PS | Snap On Plastic Shelf Cover 24" x 48" | |
| AM2460PS | Snap On Plastic Shelf Cover 24" x 60" | |
| AM2472PS | Snap On Plastic Shelf Cover 24" x 72" | |

Plastic Solid Shelf Covers

- White poly material.
- Adhere to standards without heavy cost.
- * Epoxy-coated and stainless steel shelf covers also available.

| MODEL# | DESCRIPTION |
|----------------------|------------------------------------|
| | Flat Plastic Shelf |
| AM1824PF | Flat Plastic Shelf Cover 18" x 24" |
| AM1830PF | Flat Plastic Shelf Cover 18" x 30" |
| AM1836PF | Flat Plastic Shelf Cover 18" x 36" |
| AM1842PF | Flat Plastic Shelf Cover 18" x 42" |
| AM1848PF | Flat Plastic Shelf Cover 18" x 48" |
| AM1854PF | Flat Plastic Shelf Cover 18" x 54" |
| AM1860PF | Flat Plastic Shelf Cover 18" x 60" |
| AM1872PF | Flat Plastic Shelf Cover 18" x 72" |
| AM2124PF | Flat Plastic Shelf Cover 21" x 24" |
| AM2130PF | Flat Plastic Shelf Cover 21" x 30" |
| AM2136PF | Flat Plastic Shelf Cover 21" x 36" |
| AM2142PF | Flat Plastic Shelf Cover 21" x 42" |
| AM2148PF AM2160PF | Flat Plastic Shelf Cover 21" x 48" |
| | Flat Plastic Shelf Cover 21" x 60" |
| AM2172PF | Flat Plastic Shelf Cover 21" x 72" |
| AM2424PF | Flat Plastic Shelf Cover 24" x 24" |
| AM2430PF | Flat Plastic Shelf Cover 24" x 30" |
| AM2436PF | Flat Plastic Shelf Cover 24" x 36" |
| AM2442PF | Flat Plastic Shelf Cover 24" x 42" |
| AM2448PF | Flat Plastic Shelf Cover 24" x 48" |
| AM2454PF | Flat Plastic Shelf Cover 24" x 54" |
| AM2460PF | Flat Plastic Shelf Cover 24" x 60" |
| AM2472PF | Flat Plastic Shelf Cover 24" x 72" |

Cantilever Wall Shelf Units





Cantilever Arm- Two per shelf in 14" or 18" depths

WMB-CH Wall-Mount Bracket. 4 included with every set.

One-Shelf Wall-Mount Complete Units consist of:

- Two posts 13"H.
- Four wall-mount brackets and two adjustable cantilever arms.
- One shelf (sizes below).

| MODEL# | DESCRIPTION | D x W x H (OD) |
|-----------|-------------------------------------|----------------|
| | One Shelf Wall-Mount Unit | (inches) |
| 1WA1424CH | One Shelf Wall-Mount Unit 14" x 24" | 14 x 24 x 13 |
| 1WA1430CH | One Shelf Wall-Mount Unit 14" x 30" | 14 x 30 x 13 |
| 1WA1436CH | One Shelf Wall-Mount Unit 14" x 36" | 14 x 36 x 13 |
| 1WA1836CH | One Shelf Wall-Mount Unit 18" x 36" | 18 x 36 x 13 |
| 1WA1848CH | One Shelf Wall-Mount Unit 18" x 48" | 18 x 48 x 13 |



Wall-Mount Shelving Units 1, 2 or 3-shelf configurations

- User must determine capability of wall to support fully loaded unit.
- Wall mounting bolts not included.



Two-Shelf Wall-Mount Complete Units consist of:

- Two posts 24"H.
- Four wall-mount brackets and four adjustable cantilever arms.
- Two shelves (sizes below).

| MODEL # | DESCRIPTION | D x W x H (OD) |
|-----------|-------------------------------------|----------------|
| | Two Shelf Wall-Mount Unit | (inches) |
| 2WA1424CH | Two Shelf Wall-Mount Unit 14" x 24" | 14 x 24 x 24 |
| 2WA1430CH | Two Shelf Wall-Mount Unit 14" x 30" | 14 x 30 x 24 |
| 2WA1436CH | Two Shelf Wall-Mount Unit 14" x 36" | 14 x 36 x 24 |
| 2WA1448CH | Two Shelf Wall-Mount Unit 14" x 48" | 14 x 48 x 24 |
| 2WA1836CH | Two Shelf Wall-Mount Unit 18" x 36" | 18 x 36 x 24 |
| 2WA1848CH | Two Shelf Wall-Mount Unit 18" x 48" | 18 x 48 x 24 |

Three-Shelf Wall-Mount Complete Units consist of:

- Two posts 36"H.
- Four wall-mount brackets and three adjustable cantilever arms.
- Three shelves (sizes below).

| MODEL# | DESCRIPTION | D x W x H (OD) | | |
|-----------|---------------------------------------|----------------|--|--|
| | Three Shelf Wall-Mount Unit | (inches) | | |
| 3WA1424CH | Three Shelf Wall-Mount Unit 14" x 24" | 14 x 24 x 36 | | |
| 3WA1436CH | Three Shelf Wall-Mount Unit 14" x 36" | 14 x 36 x 36 | | |
| 3WA1448CH | Three Shelf Wall-Mount Unit 14" x 48" | 14 x 48 x 36 | | |
| 3WA1836CH | Three Shelf Wall-Mount Unit 18" x 36" | 18 x 36 x 36 | | |
| 3WA1848CH | Three Shelf Wall-Mount Unit 18" x 48" | 18 x 48 x 36 | | |

Offsite Distribution Carts

These heavy-duty all-welded carts are designed for offsite JIT and stockless systems using a combination of shelves and totes. Ergonomic 6" casters standard.



BAX65



LEV-BC65

Model #AG663

- Fabricated from 1-1/4" aluminum tube frame with 3/4" round tube vertical closure.
- The base structure is supported from below with oversized caster mounting plates.
- 2" nylon seat belt webbing is fixed at the top and has velcro closures at the bottom.
- Standard 6" ergonomic casters, two fixed, two swivel.
 Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking.
 Add suffix "R" for 2 fixed, 2 swivel.
 Add suffix "FP" for 1 directional locking.
- 6 non-marking corner bumpers.

| MODEL # | D x W x H (O.D.) | WEIGHT | |
|---------|------------------|--------|--|
| | (inches) | (lbs) | |
| AG663 | 28 x 65 x 71.5 | 218 | |

Distribution Containers, Flip Top, Nesting

- See cart descriptions for capacity.
- Polyethylene with textured bottoms, molded-in handle, padlock eye both ends, reinforced hinge pins.

| MODEL# | D x W x H (O.D.) | COLORS |
|--------|------------------|------------------------|
| | (inches) | |
| 9-453 | 21.5 x 15 x 12.5 | Gray, Red, Blue, Green |
| 9-593 | 24 x 20 x 12.5 | Gray |

Model # BAX65

- Fabricated from 1-1/4 (32mm) steel tube frame.
- Standard with # 31-76XSR ergonomic 6" casters, all swivel, 2 braking.
 Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking.
 Add suffix "R" for 2 fixed, 2 swivel.
 - Add suffix "FP" for 1 directional locking.
- Heavy-duty dolly base with wraparound bumper.
- Solid Stainless Steel bottom shelf. Shelves are sold separately #BAX65-SH.
- BAX65 will hold 16 each 9-453 containers and 12 each 9-593 containers.

| MODEL# | D x W x H (O.D.) | WEIGHT |
|-----------|-------------------------|--------|
| | (inches) | (lbs) |
| BAX65 | 26 x 66 x 65 | 182 |
| BAX65-SH | Shelf for Small Runners | 18 |
| BAX65-SHL | Shelf for Large Runners | 18 |

Model #LEV-BC65

- Base of 1" (25mm) square tube construction with wraparound bumper.
- Open side features nylon cargo net.
- Standard with # 31-76XSR ergonomic 6" casters, 2 brake, 2 swivel.
 Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking.
 Add suffix "R" for 2 fixed, 2 swivel.
 - Add suffix "FP" for 1 directional locking.
- Wire bottom shelf #I FVBC65-BS available.
- LEVBC65 Cart will hold 16 each 9-453 containers and 12 each 9-593 containers.

| MODEL# | D x W x H (O.D.) | WEIGHT |
|----------|------------------|--------|
| | (inches) | (lbs) |
| LEV-BC65 | 28 x 68 x 75 | 218 |



Jug Transport Cart

Dialysis Jug Transport Cart

Solves one of the most challenging internal hospital logistics issues. Eliminates skids and outside cardboard in the clean supply area. Transports 100 jugs (4L) of solution at one time. Average load on cart: 1250 lbs. Use as an exchange cart - Switch empty cart with full. Configurable for towing.



Back of Cart



Secure contents during transport with heavy-duty tubing



- Overall Dimensions: 28"D x 52"W x 68"H.
- Fully welded cart. Frames of 1-1/4" round tubing each end with vertical end rods 6" apart .
- Heavy-duty dolly base: Integrated c-channel with wrap-around bumper welded to steel plate frame.
- Solid stainless steel shelf insert in base for infection control.
- Three chrome wire shelves.
- Solid base and wire shelves to have 1" round tube 4" above the shelf on front and two 1" tubes
 at the back
- 100-jug capacity. Each shelf will hold 20 each 4L jugs of solution.
- Heavy-duty ergonomic 6" casters, two fixed, two swivel. Other options (directional lock, etc.)
 also available.

Enclosed Carts, Dolly Bases, 4-tier



Standard Units Include:

- 4 each 63"H posts.
- 4 wire shelves with sleeves.
- Heavy-duty all-welded dolly fabricated with integral C-channel welded to steel plate frame.
- Non-marking wrap-around bumper.

Dolly is available open or closed, with premium epoxy coated solid insert or with stainless steel solid insert. Inserts adhere to infection control standards and function as solid bottom shelves which eliminates the additional wire shelf requirement.

Other Standard Sizes Available on Request:

- Depths: 18"
- Posts: 74"

Enclosed Cart with Open Dolly, 4 Wire Shelves.

| DxW | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|----------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 | 184 | MDE436CH 70 | MDE436CH-6 71 |
| 24 x 48 | 224 | MDE456CH 70 | MDE456CH-6 71 |
| 24 x 60 | 273 | MDE466CH 70 | MDE466CH-6 71 |
| 24 x 72 | 323 | MDE476CH 70 | MDE476CH-6 71 |

^{*}Add the suffix "-CL" to model number for solid bottom shelf cover and 3 position label holders

Enclosed Cart with premium epoxy-coated Solid Insert Dolly, 4 Wire Shelves.

| D x W | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|----------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 | 186 | MDET436CH 70 | MDET436CH-6 71 |
| 24 x 48 | 221 | MDET456CH 70 | MDET456CH-6 71 |
| 24 x 60 | 261 | MDET466CH 70 | MDET466CH-6 71 |
| 24 x 72 | 303 | MDET476CH 70 | MDET476CH-6 71 |

^{**}Add the suffix "-CL" to the model number for 3 position label holders for wire shelves only (solid bottom cover not required)

Enclosed Cart with Stainless Steel Solid Insert Dolly, 4 Wire Shelves.

| DxW | WT. | 5" PLATE CASTER | 6" PLATE CASTER |
|----------|--------|------------------|------------------|
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 | 186 | MDES436CH 70 | MDES436CH-6 71 |
| 24 x 48 | 221 | MDES456CH 70 | MDES456CH-6 71 |
| 24 x 60 | 261 | MDES466CH 70 | MDES466CH-6 71 |
| 24 x 72 | 303 | MDES476CH 70 | MDES476CH-6 71 |

^{*} Add the suffix "-CL" to the model number for 3 position label holders for wire shelves only (solid bottom cover not required)

5" Caster Models:

- 4 each 5" plate-style swivel non-marking polyurethane casters, two with brakes.
- Weight capacity is 750 lbs. (each caster 250 lbs.)
- Recommended for non-transport "light-duty" applications.

6" Caster "Heavy-Duty" Models:

- 4 each 6" premium ergonomic elastomere non-marking casters. All swivel, two with brakes.
- Rigid and directional-lock also available.

Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking.

Add suffix "R" for 2 fixed, 2 swivel.

Add suffix "FP" for 1 directional locking.

- 1200 lb weight capacity (each caster 400 lbs.)
- Recommended for "heavy-duty" transport applications.



^{*}Height is overall

Enclosed Cart with Open Dolly, 5 Wire Shelves.

| DxW | WT. | 5" PLATE C | ASTER | 6" PLATE (| CASTER |
|----------|--------|------------|---------|------------|---------|
| (inches) | (lbs.) | Model #, | Ht (in) | Model #, | Ht (in) |
| 24 x 36 | 200 | MDE435CH | 81 | MDE435CH-6 | 82 |
| 24 x 48 | 243 | MDE455CH | 81 | MDE455CH-6 | 82 |
| 24 x 60 | 297 | MDE465CH | 81 | MDE465CH-6 | 82 |
| 24 x 72 | 352 | MDE475CH | 81 | MDE475CH-6 | 82 |

^{*} Add the suffix "-CL" to the model number for solid bottom shelf cover and 3 position label holder

Enclosed Cart with Dolly with premium epoxy-coated solid insert, 5 Wire Shelves.

| DxW | WT. | 5" PLATE CASTER | | 6" PLATE CASTER | |
|----------|--------|-----------------|------|-----------------|------|
| (inches) | (lbs.) | Model #, Ht | (in) | Model #, Ht | (in) |
| 24 x 36 | 202 | MDET435CH 8 | 1 | MDET435CH-6 | 82 |
| 24 x 48 | 246 | MDET455CH 8 | 1 | MDET455CH-6 | 82 |
| 24 x 60 | 285 | MDET465CH 8 | 1 | MDET465CH-6 | 82 |
| 24 x 72 | 332 | MDET475CH 8 | 1 | MDET475CH-6 | 82 |

^{**} Add the suffix "-CL" to the model number for 3 position label holders for wire shelves only (solid bottom cover not required)


Enclosed Cart with Dolly with Solid Stainless insert, 5 Wire Shelves.

| D x W | WT. | 5" PLATE CASTE | R 6" PLATE CASTER |
|----------|--------|------------------|-------------------|
| = | | | |
| (inches) | (lbs.) | Model #, Ht (in) | Model #, Ht (in) |
| 24 x 36 | 202 | MDES435CH 81 | MDES435CH-6 82 |
| 24 x 48 | 246 | MDES455CH 81 | MDES455CH-6 82 |
| 24 x 60 | 285 | MDES465CH 81 | MDES465CH-6 82 |
| 24 x 72 | 332 | MDES475CH 81 | MDES475CH-6 82 |

^{*} Add the suffix "-CL" to the model number for 3 position label holders for wire shelves only (solid bottom cover not required)

Standard Units Include:

- 4 each 74"H posts.
- 5 wire shelves with sleeves.
- Enclosure panels of 3" x 3" wire mesh.
- Heavy-duty all-welded dolly fabricated with integral C-channel welded to steel plate frame. Non-marking wrap-around bumper.



Other Standard Sizes Available on Request:

• Depths: 18"

Enclosed Carts, Dolly Bases, 5 Tier



5" Caster Models:

- 4 x 5" plate-style swivel non-marking polyurethane casters, two with brakes.
- Weight capacity is 750 lbs. (each caster 250 lbs.)
- Recommended for non-transport "light-duty" applications.

6" Caster "Heavy-Duty" Models:

- 4 x 6" premium ergonomic elastomere non-marking casters. All swivel, two with brakes.
- Rigid and directional-lock also available.
 - Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking. Add suffix "R" for 2 fixed, 2 swivel.
 - Add suffix "FP" for 1 directional locking.
- 1200 lb weight capacity (each caster 400 lbs.)
- Recommended for "heavy-duty" transport applications.

Par Stor



310-III Complete Cart Shown with Optional Stainless Steel Worktop

Open Par Carts:

- Designed for transport of sterile supplies. Holds standard Par Stor 16" x 24" baskets and tubs.
- Frame units do not include tubs or baskets. Accessories mounted on full-extension slides.
- All-welded 1" square tubular epoxy-coated steel frame.
- Sturdy base with solid shelf insert for infection control.
- 5" quiet poly swivel casters. Standard donut bumpers on corners.
- Accessories include dividers, label tags, nylon covers and solid stainless tops.

| MODEL# | DESCRIPTION | D x W x H (overall) | SLOTS | MODEL# | TOP MODEL # |
|---------|------------------------------|---------------------|-------|------------|-----------------|
| | Par Cart Frame | (inches) | # | Cart Cover | Solid Stainless |
| 300-III | Single Short Par Cart Frame | 29.5 x 25 x 43 | 30 | PNC300-III | Top-Single-III |
| 320-III | Double Short Par Cart Frame | 29.5 x 44 x 43 | 60 | PNC320-III | Top-Double-III |
| 500-III | Single Medium Par Cart Frame | 29.5 x 25 x 58.5 | 46 | PNC500-III | Top-Single-III |
| 520-III | Double Medium Par Cart Frame | 29.5 x 44 x 58.5 | 92 | PNC520-III | Top-Double-III |
| 600-111 | Single Tall Par Cart Frame | 29.5 x 25 x 74.5 | 62 | PNC600-III | Top-Single-III |
| 620-III | Double Tall Par Cart Frame | 29.5 x 44 x 74.5 | 124 | PNC620-III | Top-Double-III |
| 630-III | Triple Tall Par Cart Frame | 29.5 x 65 x 74.5 | 186 | PNC630-III | Top-Triple-III |

Build Your Own Par Cart:

- Refer to the number of available slots in the table above.
- Table below indicates how many slots each basket/tub/shelf occupies.

| DESCRIPTION | SLOTS |
|--------------------------|-------|
| | # |
| 3" Basket | 4 |
| 5" Basket | 6 |
| 8" Basket | 9 |
| Slanted 3" Basket or Tub | 7 |

* See Accessories on Page 16.

| DESCRIPTION | SLOTS |
|-------------------|-------|
| | # |
| 3″ Tub | 5 |
| 5″ Tub | 7 |
| 8″ Tub | 10 |
| Chrome Wire Shelf | 2 |






6200-III PS620-III Container Cart



505-III Complete Cart



• Our most popular configurations in ready-to-order format.



| MODEL# | DESCRIPTION | D x W x H (O.D.) |
|--------------|---|------------------|
| | | (inches) |
| 310-III | Preconfigured single short par cart with stainless steel top. $1 - 3''$, $2 - 5''$, $1 - 8''$ baskets | 29.5 x 25 x 43 |
| 505-III | Preconfigured single medium par cart. 1 - 3", 4 - 5", 1 - 8" baskets | 29.5 x 25 x 58.5 |
| 605-III | Preconfigured single tall par cart. 1 - 3", 6 - 5" baskets | 29.5 x 25 x 74.5 |
| 500IV-III | IV Cart. 1 - 5", 2 each long /short divider, 4 - 8", 2 long divider each | 29.5 x 25 x 58.5 |
| 500IV-III-KP | IV Cart. 4 - 8" baskets each with 2 long dividers/basket | 29.5 x 25 x 58.5 |
| 520IV-III | 2 - 5", 2 long dividers each, 8 - 8", 1 long divider each | 29.5 x 44 x 58.5 |
| 520IV-III-KP | 8 - 8" baskets each with 2 long dividers. 24 each LH-3 label tags | 29.5 x 44 x 58.5 |
| PS620-III | 14 each waterfall-edge chrome wire shelves | 29.5 x 44 x 74.5 |
| 6200-III | 7 each waterfall-edge chrome wire shelves and 7 - 5" baskets | 29.5 x 44 x 74.5 |

Enclosed Par Carts:

- Transport sterile supplies in an enclosed cart. Ideal for non-dedicated delivery systems.
- Holds standard Par Stor 16" x 24" baskets and tubs.
- Units do not include tubs or baskets. Accessories mounted on full-extension slides.
- All-welded 1" square tubular epoxy-coated steel frame.
- Frame enclosed in blue epoxy-coated steel.

- 3/8" plastic clear door with 3 hospital-grade hinges and chrome handle.
- Sturdy base with solid shelf insert for infection control.
- 5" quiet poly swivel casters. Standard donut bumpers on corners.
- Accessories include dividers and label tags. See page 16.

| 13 | <u></u> | |
|-------|---------|--------|
| e 16. | | 1 |
| ı | | ili |
| | | |
| | B | 1 |
| | | ļ |
| | | Tummin |
| | | |
| | | |

620EN-III w/ Example Basket Set

| MODEL# | DESCRIPTION | D x W x H (overall) | SLOTS |
|-----------|---------------------------------------|---------------------|-------------|
| | Par Cart Frame | (inches) | (number of) |
| 500EN-III | Single Enclosed Medium Par Cart Frame | 29.5 x 25 x 58.5 | 46 |
| 520EN-III | Double Enclosed Medium Par Cart Frame | 29.5 x 44 x 58.5 | 92 |
| 600EN-III | Single Enclosed Tall Par Cart Frame | 29.5 x 25 x 74.5 | 62 |
| 620EN-III | Double Enclosed Tall Par Cart Frame | 29.5 x 44 x 74.5 | 124 |



Build Your Own Enclosed Par Cart:

- Refer to the number of available slots in the table above.
- Table below indicates how many slots each basket/tub/shelf occupies.

| DESCRIPTION | SLOTS |
|--------------------------|---------------|
| | # of Occupied |
| 3" Basket | 4 |
| 5" Basket | 6 |
| 8" Basket | 9 |
| Slanted 3" Basket or Tub | 7 |

| DESCRIPTION | SLOTS |
|-------------------|---------------|
| | # of Occupied |
| 3″ Tub | 5 |
| 5″ Tub | 7 |
| 8″ Tub | 10 |
| Chrome Wire Shelf | 2 |



500EN-III w/ Example Basket Set

"Complete" Enclosed Par Carts:

• Our most popular configurations in ready-to-order format.

| MODEL# | DESCRIPTION | D x W x H (O.D.) |
|-----------------|--|------------------|
| | | (inches) |
| 505EN-III | Preconfigured single medium par cart. 1 - 3", 4 - 5", 1 - 8" baskets | 29.5 x 25 x 58.5 |
| 605EN-III | Preconfigured single tall par cart. 1 - 3", 6 - 5" baskets | 29.5 x 25 x 74.5 |
| 500IV-EN-III | IV Cart. 1 - 5", 2 each long /short divider, 4 - 8", 2 long divider each | 29.5 x 25 x 58.5 |
| 500IV-EN-III-KP | IV Cart. 4 - 8" baskets each with 2 long dividers/basket | 29.5 x 25 x 58.5 |
| 520IV-EN-III | 2 - 5", 2 long dividers each, 8 - 8", 1 long divider each | 29.5 x 44 x 58.5 |
| 520IV-EN-III-KP | 8 - 8" baskets each with 2 long dividers. 24 each LH-3 label tags | 29.5 x 44 x 58.5 |
| 6200CONT-EN-III | 14 each waterfall-edge chrome wire shelves | 29.5 x 44 x 74.5 |
| 62000RTH-EN-III | 7 each waterfall-edge chrome wire shelves and 7 - 5" baskets | 29.5 x 44 x 74.5 |

^{*} See Accessories on Page 16.

Exchange/Par Level/OR Drawer Carts with Shelves



Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking. Add suffix "R" for 2 fixed, 2 swivel. Add suffix "FP" for 1 directional locking.

Tubular Par-Level Carts For Stationary Top-Up

- 1 1/4" tube all welded frame.
- 3 adjustable nickel chrome wire shelves (adjustable without tools).
 SVTU5040: 21" x 42" shelves, SVTU7040: 21" x 60" shelves.
- Full-length top wire shelf: SVTU5040: 21" x 60" SVTU7040: 21" x 72".
- Solid stainless steel base shelf (adjustable without tools).
- Back screen 3"x3" (76x76mm) mesh. Shelf rungs function as end screens.
- Full-length label holders all shelves.
- 4 5" casters: 2 swivel, 2 rigid.
- Plastic Drawer Cart: 7 drawers each 17" x 22" x 6"H (dividers: 1 long, 2 short and index pockets included)
- Wire Basket Cart: 7 chrome baskets each 16" x 24" x 5"H (dividers: 1 long, 2 short and 30 label tags #LH-3 included)


| Tubular Carts | for In | House | Exchange | /Transport |
|----------------------|--------|-------|----------|------------|
|----------------------|--------|-------|----------|------------|

- 1-1/4" tube all welded frame. Dolly base with wraparound bumper and stainless bottom shelf.
- 3 adjustable nickel chrome wire shelves (adjustable without tools). CVTU4840: 21" x 30" shelves CVTU6040: 21" x 42" shelves.
- Full-length top wire shelf: CVTU4840: 21" x 48" CVTU6040: 21" x 60"
- Side shelf rungs function as end screens.
- Back screen 3"x3" (76x76mm) mesh.
- Full-length label holders all shelves.
- 4 6" heavy-duty ergo casters: 2 swivel, 2 brake. Directional lock and brake available.
- Plastic Drawer Cart: 7 drawers each 17" x 22" x 6"H (dividers: 1 long, 2 short and index pockets included).
- Wire Basket Cart: 7 chrome baskets each 16" x 24" x 5"H (dividers: 1 long, 2 short and 30 label tags #LH-3 included)

| MODEL # | DESCRIPTION | DxWxH | WEIGHT |
|-------------|--|--------------|--------|
| | Tubular Exchange Cart | (inches) | (lbs.) |
| CVTU4840 | Tubular exchange cart with plastic drawers | 24 x 54 x 66 | 184 |
| CVTU6040 | Tubular exchange cart with plastic drawers | 26 x 66 x 66 | 205 |
| CVTU4840-WB | Tubular exchange cart with wire baskets | 24 x 54 x 66 | 184 |
| CVTU6040-WB | Tubular exchange cart with wire baskets | 26 x 66 x 66 | 205 |







Drawer Carts and Exchange Carts without Drawers

Tubular Shelf Distribution Carts for In House Transport

Designed for exchange/transport cart purposes within the hospital.

- 1-1/4" tube all welded frame. Dolly base with wraparound bumper and stainless bottom shelf.
- 4 adjustable nickel chrome wire shelves (adjustable without tools). CTU48: 21" x 48". CTU60: 21" x 60" shelves.
- Side shelf rungs function as end screens.
- Back screen 3"x3" (76x76mm) mesh.
- Full-length label holders all shelves.
- 4 6" heavy-duty ergo casters: All swivel two with brakes.

| MODEL# | DESCRIPTION | DxWxH | WEIGHT |
|--------|-----------------------|--------------|--------|
| | Tubular Exchange Cart | (inches) | (lbs.) |
| CTU48 | Tubular exchange cart | 24 x 54 x 66 | 145 |
| CTU60 | Tubular exchange cart | 26 x 66 x 66 | 169 |





DRAW14



Plastic Drawer Distribution Carts for In House Transport

Designed for exchange/transport of small items within the hospital.

- 1-1/4" tube all welded frame. Dolly base with wraparound bumper.
- 4-6" heavy-duty ergo casters: All swivel, two with brakes. Directional lock brake available.
- Drawers each 17" x 22" x 6"H (dividers: 1 long, 2 short and index pockets included).

| MODEL# | DESCRIPTION | DxWxH | WEIGHT |
|--------|-------------------------------------|--------------|--------|
| | Tubular Drawer Cart | (inches) | (lbs.) |
| DRAW7 | Tubular drawer cart with 7 drawers | 26 x 22 x 56 | 95 |
| DRAW14 | Tubular drawer cart with 14 drawers | 45 x 22 x 56 | 155 |
| DRAW21 | Tubular drawer cart with 21 drawers | 64 x 22 x 56 | 220 |

IV Exchange/Distribution Carts for In House Transport

Designed for exchange/transport of solutions within the hospital.

- 1-1/4" tube all welded frame. Dolly base with wraparound bumper.
- Sloped chrome baskets. Each basket to have 2 dividers and label holders.
- Plastic drawers each 17" x 22" x 6"H (dividers: 1 long, 2 short and index pockets included).
- 4-6" heavy-duty ergo casters: All swivel, two with brakes. Directional lock brake available.

| MODEL# | DESCRIPTION | DxWxH | WEIGHT |
|---------|--------------------------------------|--------------|--------|
| | Tubular IV Cart | (inches) | (lbs.) |
| IV-2424 | Tubular IV Cart- 3 baskets/1 drawer | 26 x 26 x 69 | 85 |
| IV-2445 | Tubular IV Cart- 6 baskets/2 drawers | 42 x 26 x 69 | 150 |
| IV-2463 | Tubular IV Cart- 9 baskets/3 drawers | 63 x 26 x 69 | 220 |

Add suffix "BFP" for 1 swivel, 2 swivel w/ brake, and 1 directional locking.

Add suffix "R" for 2 fixed, 2 swivel.

Add suffix "FP" for 1 directional locking.



Tubular Accessories



Tubular Shelves Add extra shelves to your carts. Nickel-plated chrome wire.


| MODEL# | DxWxH | FITS CART(S) |
|--------|----------|--------------------|
| | (inches) | |
| TU30R | 21 x 29 | CVTU4840 |
| TU42R | 21 x 41 | CVTU6040, SVTU5040 |
| TU48R | 21 x 47 | CTU48 |
| TU60R | 21 x 59 | SVTU7040, CTU60 |



R146

Label Holders Identify items. Flat-face full-length blue plastic.


| MODEL# | DxWxH | FITS CART(S) |
|--------|----------|--------------------|
| | (inches) | |
| F128 | 21 x 28 | CVTU4840 |
| F140 | 21 x 40 | CVTU6040, SVTU5040 |
| F146 | 21 x 46 | CTU48 |
| F158 | 21 x 58 | SVTU7040, CTU60 |



CFDIV186

Wire Shelf Dividers

Nickel-chrome plated wire. Bottom 3-hook design fits all standard wire shelves. 6" and 8" heights.



| MODEL # | DxWxH |
|----------|----------|
| | (inches) |
| CFDIV186 | 18 x 6 |
| CFDIV188 | 18 x 8 |



TL48

Tubular Shelf Ledges Prevent items from falling off the cart. Nickel-plated chrome wire.


| MODEL# | DxWxH | FITS CART(S) | |
|--------|----------|--------------------|--|
| | (inches) | | |
| TL303 | 21 x 29 | CVTU4840 | |
| TL423 | 21 x 41 | CVTU6040, SVTU5040 | |
| TL483 | 21 x 47 | CTU48 | |
| TL603 | 21 x 59 | SVTU7040, CTU60 | |



B5-III-CH shown with dividers

Wire Basket Dividers

| MODEL# | DESCRIPTION | |
|-------------|-------------------------------------|--|
| B5DL-III-CH | Long divider for medium basket | |
| B5DS-III-CH | Short divider for medium basket | |
| LH3 | Label tag for medium basket 1" x 3" | |
| BCHFR | Mounting frame for medium basket | |



DV17/D6DS

DV22/D6DL

Plastic Drawer (TB40) Dividers

| MODEL# | DESCRIPTION | PKG OF |
|-------------|-----------------------------------|--------|
| DV22 / D6DL | Long divider (max 11 per drawer) | 6 |
| DV17 / D6DS | Short divider (max 15 per drawer) | 6 |
| TB40IL | Insert lid for TB40 | |